ORIGINAL

Ajo Improvement Company

DOCKET NOS. WS-01025A-17-0361, E-01025A-17-0362, WS-01025A-17-0363

BILL ESTIMATION TARIFF

Ajo Improvement Company ("AIC") occasionally encounters situations in which AIC cannot obtain a complete and valid meter read. No matter the cause of the need to estimate the read, the following methods are used to develop an estimated bill depending on the circumstances.

Bill Estimation Methodologies

PREVIOUS YEAR FORMULA

SAME CUSTOMER WITH AT LEAST ONE YEAR OF HISTORY

AIC would generate a bill based on Customer usage from the previous year using the "PREVIOUS YEAR" formula as follows:

LAST YEAR'S USAGE FOR SAME MONTH / NUMBER OF DAYS IN BILLING PERIOD = PER DAY USAGE

PER DAY USAGE X NUMBER OF DAYS IN THIS MONTH'S CYCLE = ESTIMATED USAGE

PREVIOUS MONTH FORMULA

SAME CUSTOMER AT SAME PREMISE WITH LESS THAN ONE YEAR OF HISTORY

AIC would generate a bill based on Customer usage from the previous month using the "PREVIOUS MONTH" formula as follows:

LAST MONTHS USAGE / NUMBER OF DAYS IN BILLING PERIOD = PER DAY USAGE

PER DAY USAGE x NUMBER OF DAYS IN THIS MONTH'S CYCLE = ESTIMATED USAGE

NO HISTORY

AIC would not generate a bill until a good meter read was acquired then use known consumption to estimate previous bills.

Issued: September 5, 2019

Effective: October 5, 2019

ISSUED BY:

Roy Archer, President
Ajo Improvement Company
Ajo, Arizona 85321

APPROVED FOR FILING
DECISION #: 77287